

**GENERAL SERVICES ADMINISTRATION**  
**Federal Supply Service**  
**Authorized Federal Supply Catalog and Price List**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is gsaadvantage.gov.

**Schedule Title:** Multiple Award Schedule

**Category/SINs:** 33721, "Furniture & Furnishings"  
OLM, "Order Level Materials"

**PSC:** 7125

For more information on ordering from Federal Supply Schedules go to the GSA Schedules page at GSA.gov

**CONTRACT PERIOD:** November 23, 2020 to November 22, 2025

**BUSINESS SIZE:** Small

**CONTRACTOR'S NAME:** Time Base Corporation d/b/a TBC Consoles  
170 Rodeo Drive  
Edgewood, NY 11717

PHONE: 631-293-4068  
FAX: 631-293-4075  
EMAIL: [sales@tbconsoles.com](mailto:sales@tbconsoles.com)  
WEB: [tbconsoles.com](http://tbconsoles.com)

Contract number: GS-28F-0007X  
Contract administrator: Jansen Hahn  
Contract administration source: as above





C O N S O L E S

## **CUSTOMER INFORMATION**

- 1a. Table of awarded special item number(s):  
SIN 33721 Office furniture  
SIN OLM Order Level Materials
- 1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded: AC-CUP1 at \$53.43 per unit (GSA price)
- 1c. Hourly rates and labor category descriptions: NA
2. Maximum Order: \$250,000
3. Minimum Order: \$100.00
4. Geographic Coverage (delivery Area): Domestic & International
5. Point(s) of Production: 170 Rodeo Drive, Edgewood, NY 11717, USA
6. Prices shown herein are net, discount of 31.5% off list prices
7. Quantity discounts: None
8. Prompt payment terms: Net 30 days.  
  
Information for ordering offices: prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.
- 9a. Government purchase cards accepted at or below the micro-purchase threshold
- 9b. Government purchase cards are accepted above the micro-purchase threshold
10. Foreign items (list items by country of origin). None
- 11a. Time of delivery: 10 – 15 days ARO
- 11b. Expedited Delivery: Contact TBC [support@tbconsoles.com](mailto:support@tbconsoles.com) for availability of expedited freight and small parcel rate.
- 11c. Overnight and 2-day delivery: See 10b.
- 11d. Urgent Requirements: See 10b.
12. FOB Point(s): FOB Origin, Freight Prepay and add
- 13a. Ordering Address(es): Same as Contractor's Address.
- 13b. Ordering procedures: Orders may be placed via:  
GSA Advantage! [www.gsaadvantage.gov](http://www.gsaadvantage.gov)  
Email: [sales@tbconsoles.com](mailto:sales@tbconsoles.com)


14. Payment Address(es): Same as Contractor's Address.
- 15a. Warranty provision: Included in Contract
- 15b. Cancellation policy: NO cost prior to production. After production only actual costs incurred that the contract can demonstrate will be charged to the Government if the product cannot be sold in a reasonable length of time (6 months)
16. Export Packing Charges: Contact seller for information
17. Terms and conditions of Government purchase card: Time Base Corporation accepts purchase cards above and below the micro threshold
18. Terms and conditions of rental, maintenance, repair (if applicable): N/A
19. Terms and conditions of installation (if applicable): N/A
- 20a. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices: N/A
- 20b. Terms and conditions for any other services: N/A
21. List of service and distribution points: Same as Contractor's Address
22. List of participating dealers: N/A
23. Preventive maintenance: N/A
- 24a. Special attributes such as environmental attributes, e.g., recycled content, energy efficiency, and/or reduced pollutants: N/A
- 24b. Section 508 compliance information is available on Electronic and Information Technology (EIT). The EIT standards can be found at: [www.section508.gov/](http://www.section508.gov/).
25. Data Universal Number System (DUNS) number: 18-716-6087
26. Time Base Corporation d/b/a TBC Consoles is registered and current in the System for Award Management (SAM) database and the Central Contractor Registration (CCR) database. DUNS # 18-716-6087. Cage # 1QJK2



## Overview of Standard Consoles

### ST3 v2 .....\$1,384.56

SmartTrac 3-bay ready console; includes:  
Fixed-height countertop, cable + power management compartment (core), rear device track, and thermofoil desktop finish with ergonomic chamfered edge.  
*Electric base optional (p.3)*  
88" length x 38" depth  
(2225mm x 965mm)




SmartTrac consoles come standard with a **Shark Grey 3DL** (thermofoil) finish. Optional finishes can be seen at the TBC website finishes page.

#### - Modular components -

Base model **ST2** and **ST3** consoles come with an open 'turret well', ready to accept modular components such as rack turrets and infills, which are purchased separately.  
(see page 7 for accessories; page 4 for pre-configured consoles)

### ST3E v2 .....\$2,083.77

SmartTrac 3-bay, ht adjustable for linked consoles



### ST2 v2 .....\$1,272.73

SmartTrac 2-bay ready console; includes: Fixed-height countertop, cable + power management compartment, rear device track, and thermofoil desktop finish with ergonomic chamfered edge.  
*Electric base optional (p.3)* 67" length x 38" depth (1700mm x 965mm)


### ST2E v2 .....\$1,955.68

SmartTrac 2-bay, ht adjustable for linked consoles

SmartTrac consoles are often placed against a wall, making a rear door unnecessary. For this reason, **rear doors are optional** on all SmartTrac models, and must be purchased separately.

#### Modularity:


Rack turrets, desktop infills, LCD and speaker arms can be shared by any SmartTrac ST2 and ST3 console.  
(exceptions: Workstations and Client Tables)



#### Tool-Free Adaptability:

Most SmartTrac accessory components simply lift off to reconfigure or add items later.

#### Capacity:



#### Which SmartTrac version meets my needs?

The decision making process in choosing a console often involves the following factors - space limitations, rack equipment needs, and budget. Here are some facts about the different SmartTrac types to help inform your decision:






- The **ST3** accepts modular turrets and infills, is approx. 88" x 38", has a maximum rack turret capacity of 12ru, and a rear device track.
- The **ST2** accepts modular turrets and infills, is approx. 67" x 38", has a maximum rack turret capacity of 8ru, and a rear device track.
- The **ST3-WS** and **ST2-WS** - SmartTrac Workstations - are for those clients not in need of rack equipment turrets. They have large uninterrupted desktops, full-size cable cores, and rear device tracks.
- The **ST3-WS-LT** and **ST2-WS-LT** - These are like the Workstations above, but with a smaller capacity "mini-core". (see illustration above)
- All SmartTrac models share the same leg style, with an electric base with digital preset controller as an option. Electric base weight capacity: **250lbs** (75kg) total of monitors, rack equip., and desktop items. Console components have already be factored in.

# SmartTrac® v2 Product Guide

note: product may differ in appearance from items shown below.





## 2-Bay Consoles: 2-bay ready turret well • full-size core

				
model: <b>ST2-NT</b> (fixed ht) ST2E-NT (electric)	model: <b>ST2-1T</b> (fixed ht) ST2E-1T (electric)	model: <b>ST2-1TH</b> (fixed ht) ST2E-1TH (electric)	model: <b>ST2-2T</b> (fixed ht) ST2E-2T (electric)	model: <b>ST2-DW</b> (fixed ht) ST2E-DW (electric)
GSA price: <b>\$1,372.95</b> \$2027.63	GSA price: <b>\$1,493.82</b> \$2,141.52	GSA price: <b>\$1,546.92</b> \$2,194.62	GSA price: <b>\$1,614.17</b> \$2,264.49	GSA price: <b>\$1,340.81</b> \$1,988.50


## 3-Bay Consoles: 3-bay ready turret well • full-size core

				
model: <b>ST3-NT</b> (fixed ht) ST3E-NT (electric)	model: <b>ST3-1T</b> (fixed ht) ST3E-1T (electric)	model: <b>ST3-2T</b> (fixed ht) ST3E-2T (electric)	model: <b>ST3-2TH</b> (fixed ht) ST3E-2TH (electric)	model: <b>ST3-3T</b> (fixed ht) ST3E-3T (electric)
GSA price: <b>\$1,572.08</b> \$2,219.77	GSA price: <b>\$1,692.95</b> \$2,340.65	GSA price: <b>\$1,813.83</b> \$2,461.52	GSA price: <b>\$1,866.93</b> \$2,521.61	GSA price: <b>\$1,934.70</b> \$2,589.38

## Workstations: continuous desktop • no turret well • full-size core

	
model: <b>ST2-WS</b> (fixed ht) ST2E-WS (electric)	model: <b>ST3-WS</b> (fixed ht) ST3E-WS (electric)
GSA price: <b>\$1,236.43</b> \$1,915.34	GSA price: <b>\$1,366.66</b> \$2,048.19

## Workstation LT: continuous desktop • no turret well • mini-core

	
model: <b>ST2-WS-LT</b> (fixed ht) ST2E-WS-LT (electric)	model: <b>ST3-WS-LT</b> (fixed ht) ST3E-WS-LT (electric)
GSA price: <b>\$1,085.04</b> \$1,788.54	GSA price: <b>\$1,213.14</b> \$1,916.73

## Client Table mini-core


model: <b>ST-CT-LT</b> (fixed ht) STE-CT-LT (electric)
GSA price: <b>\$1,240.54</b> \$1,954.96

# SmartTrac® v2 Product Guide


note: product may differ in appearance from items shown below.



## Overview of Bi-Level Consoles

### ST2-BL.....\$2,153.39


SmartTrac Bi-Level console; includes:  
**Fixed-height** countertop and rear monitor ledge,  
 rear device track, cable + power management  
 compartment, and linoleum or laminate  
 desktop finish with black bumper edge.  
*Caster feet optional (see below)*  
 72" length x 44.7" depth  
 (1829mm x 1135mm)



**FIXED-HEIGHT**

### ST2E-BL.....\$2,985.95


SmartTrac Bi-Level console; includes:  
 Electric height-adjustment of countertop and rear  
 monitor ledge, rear device track, cable + power  
 management compartment (core), linoleum or  
 laminate desktop finish with black bumper edge.  
*Caster feet optional (see below)*  
 72" length x 44.7" depth  
 (1829mm x 1135mm)



**HEIGHT-ADJUSTABLE**

INDEPENDENT ELECTRIC CONTROL OF BOTH  
 DESKTOP AND MONITOR LEDGE PROVIDE  
 SIT-TO-STAND CAPABILITY

### Worksurface Height Dimensions




Fixed Height Version



Height-Adjustable "Sit-Stand" Version

optional equipment shown

### Footprint Dimensions



As shown in this top view, the rear monitor ledge will fit (3) 24" monitors, or (2) 24" monitors and a pair of small speakers.



# SmartTrac® v2 Product Guide




note: product may differ in appearance from items shown below.  
please call for pricing.

## Overview of Linked Consoles




### SmartTrac Consoles can be "Linked" together to create multi-operator workstations.

- Available with an open "turret well" that accepts optional modular components such as equipment turrets and desktop inflills, or with continuous uninterrupted desktops.
- Just like standard SmartTracs, our linked consoles feature a cable + power management compartment (core) and a continuous rear device track. With optional transitions all of the cable/power cores can be linked for through cabling from one end to the console to the other.
- Linked consoles will accept most SmartTrac accessories (p.9-10), such as monitor and speaker mounts, turrets and inflills, and rear doors. CPU holders can mount to the outside of end legs only, and the electric leg upgrade is limited to certain models, please call to discuss.
- Typically, linked consoles will utilize standard SmartTrac legs with full-size feet at the ends, with shorter feet on intermediate legs for operator comfort, exceptions may apply on certain configurations as required.
- Countertop finishes typically are laminate or linoleum with black bumper edge or upgraded to a Purtech (R) urethane edge. Acrylic or Corian (R) countertops are also available. Color suggestions can be found on the TBC website [finishes page](#). Other finishes may be available by special request.




### Typical examples of Linked Configurations:

The configurations shown here are just a small sampling of possible layouts that can be created with the SmartTrac Linked system. Please call to discuss your specific needs.




Different countertop end treatments are available, to accommodate aesthetic or space requirements.



Angular configurations also available, call for details.

### SmartTrac 2-2-2 with 30° angular transitions






# SmartTrac® v2 Product Guide

note: product may differ in appearance from items shown below.  
illustrations are not to scale.



## Accessories


**4RU** (4 rack spaces)  
equals 7" (179mm)



**4 RU**

**ST-RT4**.....\$185.64  
4RU rack turret made from lightweight aluminum with silver powdercoat finish, vented top. 10-32 rack rail std. 5.7" (144mm) height above c-top.


**2RU** (2 rack spaces)  
equals 3.5" (89mm)



**2 RU**


**ST-RT2**.....\$171.94  
2RU rack turret made from lightweight aluminum with silver powdercoat finish, vented top. 10-32 rack rail std. 3.2" (81mm) height above c-top.

manual vertical adjustment  
via locking collar on 14" pole




**FP-9222**.....\$208.93  
LCD arm, trac mounted. VESA adapter plates included. Color: silver w/black trim

spring-assist arm  
for fingertip height adjustment.




**FP-3500**.....\$217.15  
LCD arm, trac mounted, "floating" with fingertip height adjustment. VESA adapter plates included. Color: silver w/black trim


Direct-mount version for  
speakers with threaded  
mounting holes.




**SM-C**.....\$157.55/ea.  
Speaker mount, adjustable-height. Available with an 8"x10" ribbed rubber shelf, or direct mount adapter for speakers with threaded mounting holes. (18 lbs max. weight.)




**ST-CI**.....\$67.82  
Counter infill, 1-bay width (20.75")  
**ST-CI.5**.....\$59.60  
Counter infill, 1/2-bay width (10.375")  
Stock finish: Shark Grey 3DL




**ST-DW**.....\$52.40  
Dropped well cover to allow LCDs to drop below desktop, replaces infill. Silver powdercoat finish.




**ST-RD3**.....\$110.29  
Rear door, vented, hinged and removable, fits **ST3**.  
**ST-RD2**.....\$98.64  
Same as above, fits **ST2**.




**ST-CFT**.....\$193.17/ea.  
Caster foot, replaces standard foot. Silver finish with grey casters. *Pair of feet shown. Typically sold in pairs, singles may be spec'd on linked consoles.*




**AC-CUP1**.....\$53.43  
Retractable cup holder, for cups up to 3" dia, folds and retracts in one motion. Silver powdercoat finish. *Works on all TBC trac-series consoles.*



**ST-CPU**.....\$167.83  
Leg mounted CPU holder, fits Mac G5. Silver powdercoat finish. Mounts to track in leg.




**FP-ILIFT**.....\$202.08  
**FP-ILIFT-SEC**.....\$215.78  
Articulating tablet arm, fits iPad 2, 3, 4, Mini, and Air. *Quick-release or secure holders.*



**PS-1615-ET**.....\$105.49  
Power strip, 16 outlets, 15amp, mounted within i-core, matte black finish. For all **ST2** & **ST3** consoles.



**TL-LITHAL-WB**.....\$77.41  
**TL-LITLED-WB**.....\$91.79  
18" gooseneck task light with round weighted base. (Halogen or LED)



**ST-EB**.....\$719.25  
Electric base upgrade for all single base SmartTrac consoles (except Bi-Level). *control panel shown*

# SmartTrac® v2 Product Guide



note: product may differ in appearance from items shown below.  
illustrations are not to scale.




## Accessories (continued)

### Monitor Frame System:


- A framework that mounts to the rear device track of SmartTrac Consoles, Workstations, and Linked versions to allow multi-monitor arrangements.
- Rigid structure designed to eliminate monitor shake in multiple display configurations.
- Design allows precise and repeatable placement of monitors, plus lateral adjustment.
- Cable duct included to route wires neatly along framework into the core.
- T-slot extrusion framework provides multiple mounting locations for accessories such as speaker mounts and power strips.




**ST-MF2-3B.....\$575.40**  
2 Tier monitor frame, 3-bay width (for ST3)  
Includes cable management duct




**ST-MF2-2B.....\$503.48**  
2 Tier monitor frame, 2-bay width (for ST2)  
Includes cable management duct




**Cross-Section of Monitor Frame**  
on SmartTrac with 2ru turret




**ST-MF2.....\$123.30/ft**  
2 Tier monitor frame, per lineal foot for linked and custom consoles. Includes vertical frame w/gusset and cable duct.



**ST-MF1.....\$87.68/ft**  
1 Tier monitor frame, per lineal foot for linked and custom consoles. Includes vertical frame w/gusset and cable duct.



**FP-9110.....\$147.28**  
Wall-mount monitor arm. VESA adapter plates included. 25 lb max. Color: silver w/black trim.



**SM-WL.....\$139.06**  
Speaker mount, up to 10 lbs  
**SM-WH.....\$269.89**  
Speaker mount, up to 25 lbs  
Color: silver w/black trim.

**ST-MF2-3B** Monitor Frame shown with (6) **FP-9110** monitor mounts on a **ST3** Console


# SmartTrac® v2 Product Guide

note: product may differ in appearance from items shown below.




## SmartTrac ST3 Suites *common configurations, see p.10 for SmartCarts.*


## SmartTrac ST2 Suites *common configurations, see p.10 for SmartCarts.*




**SC1-NL + ST3-3T + SC-PTR**




**SC1-NL + ST2-2T + SC-PTR**




**SC1.5-NL + ST3-3T + SC-PTR**



**SC1.5-NL + ST2-2T + SC-PTR**



**SC1-NL + ST3-3T + SC1-NR**




**SC2 + ST2-2T + SC-PTR**

## Overview of Equipment Carts

### Standard Series

12ru mobile equipment rack. Available in 1-bay, 1.5-bay, and 2-bay configurations. Standard features include ergonomic thermofoil worksurface with embedded device track, vented + removable rear door, heavy duty casters, and front and rear rack rail. (see page 10)


starting at: **\$522.63**



### 'N' Series Nested

12ru mobile equipment rack. Available in 1-bay, and 1.5-bay configurations. Also available in a Producer's side table. The worksurface contour "nests" with the desktop profile of SmartTrac consoles. Standard features include ergonomic thermofoil worksurface with embedded device track, heavy duty casters, and front and rear rack rail. (see page 10)

starting at: **\$522.63**




SmartCart Standard and Nested series cart tops come standard with a **Shark Grey 3DL** (thermofoil) finish. The side panels have a silver 3DL finish to match the console leg.

### 'V' Series Vertical


1-Bay mobile equipment rack available in 15, 18, and 24ru configurations. Benefits of vertical configuration include; efficient use of floor space with compact footprint, and allows for equipment at seated eye level in taller versions. Standard features include Thermofoil side panels, vented + removable rear panel, rear device track, heavy duty casters, and front and rear rack rail. (see page 10)

starting at: **\$653.28**



SmartCart Vertical Series side panels come standard with a **Shark Grey 3DL** (thermofoil) finish.

Rear view of **SC-V15** showing std. rear access panel, and optional monitor mount and power strip.



**optional power strip shown**

## Standard Series Carts




**SC1**.....\$522.63  
1-bay x 12ru mobile equipment rack



**SC1.5-L**.....\$703.59  
1.5-bay x 12ru mobile equipment rack with CPU cubby. (Rack left, CPU right)



**SC1.5-R**.....\$703.59  
1-bay x 12ru mobile equipment rack with CPU cubby. (Rack right, CPU left)




**SC2**.....\$783.94  
2-bay x 12ru mobile equipment rack (24ru total)

## 'N' Series Nested Carts




**SC1-NL**.....\$522.63  
1-bay x 12ru mobile equipment rack  
Nests on left side of console



**SC1-NR**.....\$522.63  
1-bay x 12ru mobile equipment rack  
Nests on right side of console



**SC1.5-NL**.....\$710.58  
1.5-bay x 12ru mobile equipment rack  
Nests on left side of console. (CPU right)



**SC1.5-NR**.....\$710.58  
1.5-bay x 12ru mobile equipment rack  
Nests on right side of console. (CPU left)



**SC-PTL**.....\$478.61  
Producer's table  
Nests on left side of console




**SC-PTR**.....\$478.61  
Producer's table  
Nests on right side of console


## 'V' Series Vertical Carts



**SC-V15**.....\$653.28  
15ru mobile equipment rack




**SC-V18**.....\$711.58  
18ru mobile equipment rack




**SC-V24**.....\$765.08  
24ru mobile equipment rack

## SmartCart Accessories



**FP-922**.....\$208.93  
LCD arm, trac mounted. VESA  
adapter plates included.  
Color: silver w/black trim



**PS-0715-ET**.....\$90.42  
Power strip, 7 outlets, 15amp,  
Mounts to interior of side panel.

## Overview


### Base Frame Module

- Starter Bay Module (IT-SB).....\$1,404.25
- Running Bay Module (IT-RB).....\$1,345.00

This is the basic 'building block' of the IntelliTrac system. IntelliTrac 1-bay rack width module (19" EIA); includes: Front and rear adjustable rack rail, wire mesh cable tray, Front and rear device tracks for LCD and accessory mounting, vented and removable ABS bottom access panels.

- 3 depths available:
- T30 - (30"d. [762mm d.]
  - T26 - (26"d. [660mm d.]
  - T22 - (22"d. [559mm d.]

**Note:**  
IntelliTrac is priced and designed 'per bay', but is manufactured according to final length (ex. 4-bay console). This is done to ensure smooth function and appearance of extruded aluminum device tracks.



'Typical' 1-Bay module shown with laminate countertop and 4RU rack turret.

IT-UM-4 - single level upper rack module, 4RU


CTR-L  
laminate or linoleum c-top  
with black bumper edge

Long support foot  
used on console  
ends only.

Leveler feet used 'as needed' on runs  
longer than 4-bays, and at angular  
transitions.

### Configure console...

'Typical' 4-Bay configuration with end panels and long support feet at ends.




### Add accessories...

LCD arms, task lights, phone trays, power/data blocks are some examples that are shown here.


# IntelliTrac® Product Guide




## Console + Accessories




## Rack Equipment Modules (turrets)




**IT-UM-2**.....\$365.42  
Single level upper rack module; 2ru




**IT-UM-3**.....\$365.42  
Single level upper rack module; 3ru




**IT-UM-4**.....\$364.42  
Single level upper rack module; 4ru




**IT-UM-5**.....\$365.42  
Single level upper rack module; 5ru



**IT-UM-6**.....\$442.28  
Single level upper rack module; 6ru




**IT-UM-7**.....\$442.28  
Single level upper rack module; 7ru



**IT-UM-8**.....\$442.28  
Single level upper rack module; 8ru


### Bi-Level Turrets

Bi-level turrets provide expanded rack unit capacity without compromising ergonomic sightlines. TBC has designed many combinations of rack-space layouts in Bi-level form, and we will work with you to accommodate your specific requirements.




**IT-UM-BI**.....\$534.51  
Bi-level upper rack module


## Upper Shelf Modules



**IT-UM-SS**.....\$296.25  
Upper sliding shelf module with grommet




**IT-UM-S**.....\$184.46  
Upper shelf module with grommet




**IT-LS**.....\$115.29  
Lower shelf unit with grommets



## Accessories




**IT-TB.....\$580.62**  
Angular transition base module




**IT-EXT.....\$250.13**  
Base extension for extra depth equipment




**IT-SP.....\$219.39**  
Thermofoil Side Panels




**CTR-SWR.....\$672.85**  
Switcher wedge and associated modifications  
(appearance may vary from image)




**CTR-L.....\$67.82**  
Plastic laminate or linoleum countertop,  
per linear foot [ 305mm].




**CTR-AC.....\$150.22**  
1" [25mm] thick Acrylic countertop, per linear foot [ 305mm]  
**AC-JNT.....\$288.56**  
Acrylic counter joints and associated hardware  
(necessary with seamed countertops)




**CTR-CO.....\$250.13**  
Counter cutout with rack rail or cleats




**TL-LITHAL-TM.....\$77.41**  
**TL-LITLED-TM.....\$91.79**  
Trac mount gooseneck task light




**IT-PD.....\$96.42**  
Trac mount power/data module  
(2) 15amp recept. + (2) CAT 5's  
**IT-PD-USB.....\$128.00**  
same as above w/ (2) USB's



**IT-Phone.....\$96.42**  
Trac mount phone platform




**FP-7500.....\$227.08**  
Trac mount, fully articulating LCD arm  
long throw, VESA plates included




**FP-9222.....\$204.02**  
Trac mount swivel arm with articulating  
head on adjustable-height post


## Accessories (cont.)




**IT-PO-SHELF.....\$146.59**  
 Rack mount pullout shelf, vented  
 16.5" w x 18" d 419mm x 457mm



**IT-BTM.....\$113.03**  
 Bottom closure panel / light-duty shelf,  
 vented, drop-in.



**IT-CC.....\$97.96**  
 Trac mount adjustable cable collar




Cable Collar (IT-CC) shown mounted in base,  
 adjustable in x and y axes

## About Power Strips:

The power strips shown at right are typical to Control Room applications in North America, and come with standard 120V 3-wire NEMA 5-15P outlets and plug end. These powerstrips are also available with locking plugs (Twist-Lock®), junction box versions for hardwired applications, as well as 20amp outlet versions.


As an alternative, we can provide Power Distribution Units, which are common to computer network and data centers. These PDU's come with IEC 60320/C13 outlets in both 120V and 240V versions.

For International customers, we will work with you to meet your specific needs, please call to discuss.



**PS-1615-ET.....\$105.49**  
**PS-2015-ET.....\$124.67**




Thin profile 120V/15amp power strip, NEMA 5-15R outlets, 9' [2743mm] cord with NEMA 5-15P plug, Clip-mount, non switched, does *not* include surge protection. Finish: matte black



Power Strip (PS-2015-ET) shown in  
 typical mounting location  
 in console base.

# IntelliTrac® Product Guide


Pre-configured consoles - Straight (available in T22, T26, and T30)




**T26-2B-2T.....\$4,209.67**  
T26 2-Bay, 1- IT-SB, 1- IT-RB, with (2)  
4ru turrets, overall length: 3'-8" [1114mm]




**T26-3B-3T.....\$5,985.75**  
T26 3-Bay, 1- IT-SB, 2- IT-RB, with (3)  
4ru turrets, overall length: 5'-6" [1659mm]




**T26-4B-4T.....\$7,827.54**  
T26 4-Bay, 1- IT-SB, 3- IT-RB, with (4)  
4ru turrets, overall length: 7'-2" [2185mm]




**T26-5B-5T.....\$9,636.47**  
T26 5-Bay, 1- IT-SB, 4- IT-RB, with (5)  
4ru turrets, overall length: 8'-11" [2712mm]



**T26-6B-6T.....\$11,478.24**  
T26 6-Bay, 1- IT-SB, 5- IT-RB, with (6) 4ru  
turrets, overall length: 10'-8" [3238mm]




**T26-7B-7T.....\$13,320.02**  
T26 7-Bay, 1- IT-SB, 6- IT-RB, with (7) 4ru  
turrets, overall length: 12'-4" [3764mm]



**T26-8B-8T.....\$15,129.32**  
T26 8-Bay, 1- IT-SB, 7- IT-RB, with (8) 4ru  
turrets, overall length: 14'-1" [4290mm]



**T26-9B-9T.....\$16,977.71**  
T26 9-Bay, 1- IT-SB, 8- IT-RB, with (9) 4ru  
turrets, overall length: 15'-10" [4817mm]



**T26-10B-10T.....\$18,779.66**  
T26 10-Bay, 1- IT-SB, 9- IT-RB, with (10)  
4ru turrets, overall length: 17'-7" [5343mm]

## Notes:

The configurations shown here are just a sampling of console lengths, typical to control room applications, that can be created with the IntelliTrac system.

Three base depths are available; T22, T26, and T30 (shown at top).



T26 depth shown; pricing same for T30 or T22 versions.

Upper equipment modules (turrets) are available in 2ru to 10ru capacity, as well as bi-level configurations - see page 14.


For angular configurations see page 17.

Monitor arms and accessories on page 15.


## Pre-configured consoles - Angular (available in T22, T26, and T30)



**T26-111-3T.....\$7,354.52**  
T26 3-bay 3- IT-SB, with (2) 22.5° transitions, and (3) 4ru turrets  
overall length: 7'-11" [2402mm]



**T26-121-4T.....\$9,163.45**  
T26 4-bay 3- IT-SB, 1- IT-RB, with (2) 22.5° transitions, and (4) 4ru turrets, overall length: 9'-8" [2928mm]




**T26-131-5T.....\$11,005.20**  
T26 3-bay 3- IT-SB, 2- IT-RB, with (2) 22.5° transitions, and (3) 4ru turrets, overall length: 11'-4" [3455mm]

### Angular Transitions


Working with the stock angular transitions shown below\*, IntelliTrac consoles can be configured in a 'cockpit' style, to create ergonomically efficient layouts for single or multiple-operators.




\* 'Reverse-angle' transitions are also available in 5, 10, and 15° versions.



**T26-333-9T.....\$18,306.64**  
T26 9-bay 3- IT-SB, 6- IT-RB, with (2) 22.5° transitions, and (9) 4ru turrets, overall length: 17'-9" [5400mm]



**T26-232-7T.....\$14,655.23**  
T26 7-bay 3- IT-SB, 4- IT-RB, with (2) 22.5° transitions, and (7) 4ru turrets, overall length: 14'-7" [4427mm]



**T26-222-6T.....\$12,847.00**  
T26 6-bay 3- IT-SB, 3- IT-RB, with (2) 22.5° transitions, and (6) 4ru turrets, overall length: 12'-10" [3909mm]

**Note:** The configurations shown here are just a sampling of possible angular layouts, common to control room applications, that can be created with the IntelliTrac system.

# TracWall® Product Guide



## Overview and Features

TracWall is the best scalable system for creating flat panel monitor walls. Any combination of monitors or components such as speakers and clocks may be incorporated. Units may be free standing, wall mounted or include base cabinets. TracWall provides an adjustable, adaptable, upgradeable system designed to give you perfect sightlines – every time.

By utilizing a "gridwork" of structural t-slotted aluminum extrusions, many variations of monitor wall arrangements are possible...as well as future modifications and upgrades. Displays from 15" to 70" bolt directly to Trac Wall with a variety of fixed, tilt/swivel and articulating mounts. Configurable as freestanding or with minimal footprint (footless with floor and wall anchor brackets).

A height adjustable TracWall is also available, if you are interested please contact your TBC project manager.

**SM-WL** .....\$136.66  
Speaker mount, up to 10 lbs [4.5 kg]

**SM-WH** .....\$269.89  
Speaker mount, up to 25 lbs [11.3 kg]

**Basic Vertical Components:**

**TW-EL0509** .....\$496.63  
End panel leg w/foot, 5'-9" [1524-2743mm] ht, features an integral cable channel with snap-in cover and 2 part foot that allows assembly to be against wall.

**TW-EL0912** .....\$599.38  
End panel leg w/foot, 9'-12" [2743-3658mm] ht, Same features as above item.

**TW-IL0509** .....\$308.25  
Intermediate leg w/foot, 5'-9" [1524-2743mm] ht.

**TW-IL0912** .....\$373.33  
Intermediate leg w/foot, 9'-12" [2743-3658mm] ht.

**TW-RM** .....\$269.89  
2RU Clock Box; includes rack rail and tilt swivel mount.

**PS-1615-ET** .....\$105.49  
Power strip, 16 outlets 120 VAC 15 Amp, other configurations available, see TBC website

**AM175** .....\$254.14  
Articulating mount for 40" to 80" displays, 10° tilt range, up to 175 lb/79.5 kg capacity

**AM175-W** .....\$287.70  
Articulating mount for 40" to 80" displays, w/upgrade bracket, 15° tilt range, up to 175 lb/79.5 kg capacity (not shown)

**AM-LMV** .....\$410.32  
Touch latch display mount for 40" to 80" display non-tilt, up to 160 lb /72 kg capacity (not shown)

**Basic Horizontal Components:**

**TW-V2-6T** .....\$369.90  
Handles 3 tiers of large monitors, 6 Trac horizontal, per linear ft., not shown

**TW-V2-4T** .....\$246.60  
Handles 2 tiers of large monitors, 4 Trac horizontal, per linear ft.

**TW-V2-2T** .....\$123.30  
Handles 1 tier of large monitors, 2 Trac horizontal, per linear ft.

**TW-V2-1T** .....\$61.65  
Handles tier of 17"-24" monitors, 1 Trac horizontal, per linear ft.

Lower horizontal Trac is standard with all TracWall heights

**AM80** .....\$180.16  
Articulating mount for 24" to 40" displays, +15° & -15° tilt, up to 80 lb /36.4 kg capacity, shown

**AM50** .....\$154.13  
Articulating mount for 17" to 30" displays, +15° & -15° tilt, up to 50 lb /22.7 kg capacity, (not shown)

**T-FS1730** .....\$143.85  
Fixed stem w/tilt-swivel mount

## Overview and Features - continued

### Power + Cable Management

Fully adjustable, adaptive power strip, PDU, and cable management capabilities.


Integral wire channel in end leg extrusion with trimmable plastic snap-in cover, cable capacity of over 8 sq." [5,000 sq. mm]

Steel wire trough section (powder coat finish) for cable management across the back of TracWall, comes in 4 sizes that best meet the project requirements

Power strips and PDUs easily mount on tops, backs, and bottoms of horizontal extrusions to allow power to be where its required.




### Standard End leg & foot



Integral wire channel in end leg extrusion with trimmable plastic snap-in cover.


Standard end leg foot, 26 1/4" long x 4 5/8"(widest pt.)

### Standard Intermediate leg & foot



Standard intermediate leg foot, 20 7/16" long x 3 "(widest pt.)

### "Footless" end leg




Requires steel wall anchors for secure attachment to walls.

Steel floor anchors for secure attachment to floors, 2 per leg. Can also be used for ceiling attachment

Levelers, 2 per leg.

[new item]

### Wall attachment "L" bracket



**TW-SSA** .....\$28.77/ea  
Steel wall anchoring arm

### Available Base Cabinets

Modular design with removable front access doors, internal cable management, and removable top panels with integral vents. For more information see page 4.

**TW-CB-S** .....\$448.68

CPU base cabinet, 32"-48" [810-1219mm] width, standard w/vented bottom shelf

**TW-CB-L** .....\$517.18

Equipment base cabinet, 49"-60" [1244-1524mm] width, standard w/vented bottom shelf

**TW-EB-S** .....\$469.23


Equipment base cabinet, 32"-48" [810-1219mm] width, standard w/7RU front and rear rack rail, no bottom shelf

**TW-EB-L** .....\$537.73

Equipment base cabinet, 49"-60" [1244-1524mm] width, standard w/7RU front and rear rack rail, no bottom shelf

**TW-PO-SHELF** .....\$157.55

Pull-out CPU shelf, vented, 25" [635mm] wide, powder coated steel




# TracWall® Product Guide




## Pre-configured monitor display stands - Straight

**notes:** prices include stock monitor mounts only, options such as power strips, equipment cabinets, speaker arms additional. product details may differ in appearance from items shown.




**TW-302**.....starts at **\$1,793.33**

TracWall Stand for displays 40"- 55"  
Price includes full articulating tilting mount.  
6'-4"H x 3'-4"W x 26"D [1930 x 1016 x 660mm]




**TW-303**.....starts at **\$2,997.56**

TracWall for 2 wide x1-tier high displays. Price includes full articulating tilting mounts.  
6'-4"H x 7'-0"W x 26"D (1930 x 2134 x 660mm)




Base cabinets can be added to almost every TracWall for CPU or other equipment placement near the monitor wall assembly.

**Unlimited Layout Possibilities**  
The configurations shown here are a small sampling of possible layouts with the TracWall v2 system, based on typical control room applications. We welcome the opportunity to work with you in tailoring a layout to your specific equipment needs and architectural considerations. Please see the TracWall Gallery on the TBC website for more ideas.




**TW-304** .....starts at **\$4,078.49**

TracWall for 3 wide x 1-tier high displays. Price includes full articulating tilting mounts.  
6'-4"H x 13'-0"W x 26"D [1930 x 3150 x 660mm]




**TW-306** .....starts at **\$9,098.17**

TracWall for 3 wide x 2-tier high displays. Price includes full articulating tilting mounts.  
8'-9"H x 12'-11"W x 26"D (2667 x 3937 x 660mm)



**TW-305**.....starts at **\$6,437.63**

TracWall for 3 wide x 2-tier high displays. Price includes full articulating tilting mounts.  
8'-9"H x 12'-11"W x 26"D (2667 x 3937 x 660mm)



**Note:** Portrait mounting of larger displays may require non-stocked mounts at additional cost.